Chapter 72

IRON AND STEEL

Notes.

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon
- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

(d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminum
- 0.0008% or more of boron
- 0.3% or more of chromium
- 0.3% or more of cobalt

- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more of nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium
- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium
- more than 0.05% of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1 (c) must each exceed 10% by weight.

Statistical Note. (NB This note does not form part of the Customs Tariff legislation.)

- 1. For the statistical purposes of subheadings 7222.11, 7222.19, 7222.20 and 7222.30, the expression "high nickel alloy steel" is considered to be nickel alloy steel containing by weight 24% or more of nickel.
- 2. For the statistical purposes of this chapter, the expression "Tire cord-quality steel wire rod" is considered to be Rod measuring 5.0 mm or more but not more than 6.0 mm in cross-sectional diameter, with an average partial decarburization of no more than 70 micrometers in depth (maximum 200 micrometers); having no non-deformable inclusions with a thickness (measured perpendicular to the rolling direction) greater than 20 micrometers; and, containing by weight the following elements in proportions:
 - 0.68% or more carbon,
 - less than 0.01% of aluminum,
 - 0.04% or less, in aggregate, of phosphorus and sulfur,
 - 0.008% or less of nitrogen, and
 - not more than 0.55% in the aggregate, of copper, nickel and chromium.
- 3. For the statistical purposes of this chapter, the expression "cold heading quality (CHQ)" is considered to be rod suitable for cold heading, forging, or thread rolling, and meeting standard ASTM F2282.
- 4. For the statistical purposes of this chapter, the expression "welding quality wire rod" is considered to be rod measuring less than 10 mm in diameter having less than 0.2% carbon, less than 0.04% sulfur, and less than 0.04% phosphorus, suitable for drawing or rolling to final size for use as:
 - an uncoated or plated or copper coated solid welding wire or rod;
 - the core wire or core rod for covered shielded metal arc ("SMAW") welding electrode, or
 - the formed jacket of a flux cored welding electrode that is suitable for consumption in the electric arc welding process
- 5. For the purposes of this Chapter, the term "concrete reinforcing bar", commonly known as rebar, means a steel bar produced with deformations.

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	IPRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM			
72.01	Pig iron and spiegeleisen in pigs, blocks or other primary forms.			
7201.10.00 00	-Non-alloy pig iron containing by weight 0.5% or less of phosphorus	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7201.20.00 00	-Non-alloy pig iron containing by weight more than 0.5% of phosphorus	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7201.50.00 00	-Alloy pig iron; spiegeleisen	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.02	Ferro-alloys.			
	-Ferro-manganese:			
7202.11.00 00	Containing by weight more than 2% of carbon	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.19.00 00	Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Ferro-silicon:			
7202.21.00 00	Containing by weight more than 55% of silicon	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7202.29.00 00	Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.30.00 00	-Ferro-silico-manganese	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Ferro-chromium:			
7202.41.00 00	Containing by weight more than 4% of carbon	KGM	Free	CCCT, LDCT, GPT,
	Note: The benefit of the Most-Favoured-Nation Tariff is extended to goods of this tariff item that originate in a country to which the General Tariff applies.			UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.49.00 00	Other	KGM	Free	CCCT, LDCT, GPT,
	Note: The benefit of the Most-Favoured-Nation Tariff is extended to goods of this traiff item that originate in a country to which the General Tariff applies.			UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.50.00 00	-Ferro-silico-chromium	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.60.00 00	-Ferro-nickel	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.70.00 00	-Ferro-molybdenum	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.80.00 00	-Ferro-tungsten and ferro-silico-tungsten	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-Other:			
7202.91.00	0 00	Ferro-titanium and ferro-silico-titanium	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.92.00	0 00	Ferro-vanadium	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.93.00	0 00	Ferro-niobium	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7202.99.00	0 00	Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.03		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms.			
7203.10.00	0 00	-Ferrous products obtained by direct reduction of iron ore	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7203.90.00	0 00	-Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.04		Ferrous waste and scrap; remelting scrap ingots of iron or steel.			

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7204.10.00	00 -Waste and scrap of cast iron -Waste and scrap of alloy steel:	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-waste and scrap of anoy steel:			
7204.21.00	00Of stainless steel	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7204.29.00	00Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7204.30.00	00 -Waste and scrap of tinned iron or steel	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other waste and scrap:			
7204.41.00	Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10No.1 in bundles	KGM		,
	20 Other turnings and shavings	KGM		
	90 <i>Other</i>			
		KGM		
7204.49.00			Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10No. 1 heavy melting	KGM		
	20No. 2 heavy melting	KGM		
	Other:	NOW		

Tariff Item SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
91	Shredded	KGM		
99	Other	KGM		
7204.50.00 00	-Remelting scrap ingots	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.05	Granules and powders, of pig iron, spiegeleisen, iron or steel.			
7205.10.00 00	-Granules	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Powders:			
7205.21.00 00	Of alloy steel	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7205.29.00 00	Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	IIIRON AND NON-ALLOY STEEL			
72.06	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).	ı		
7206.10.00 00	-Ingots	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7206.90.00 00	-Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.07	Semi-finished products of iron or non-alloy steel.			

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-Containing by weight less than 0.25% of carbon:			
7207.11.00		Of rectangular (including square) cross-section, the width measuring less than twice the thickness		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of non-alloy steel:	KGM		
	29	Other	KGM		
			KGM		
7207.12.00	00	Other, of rectangular (other than square) cross-section	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7207.19.00		Other		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Rounds	KGM		
	90	Other	KGM		
7207.20.00	,	-Containing by weight 0.25% or more of carbon		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10	Blooms	KGM		
	20	Billets	KGM		
	30	Slabs, sheet bars or rounds			
	90	Other	KGM		
			KGM		
72.08		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.			

Tariff Item S	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.10.00 0	-In coils, not further worked than hot-rolled, with patterns in relief	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other, in coils, not further worked than hot-rolled, pickled:			
7208.25.00 00)Of a thickness of 4.75 mm or more	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.26.00 00)Of a thickness of 3 mm or more but less than 4.75 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.27.00 00)Of a thickness of less than 3 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other, in coils, not further worked than hot-rolled:			
7208.36.00 00)Of a thickness exceeding 10 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.37.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
20)Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.38.00	10 20	Of a thickness of 3 mm or more but less than 4.75 mm Of a width of 600 mm or more but not exceeding 1,525 mm	KGM KGM KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
			KOW		
7208.39.00	0 00	Of a thickness of less than 3 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.40.00	0 00 -N	lot in coils, not further worked than hot-rolled, with patterns in relief	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-0	Other, not in coils, not further worked than hot-rolled:			
7208.51.00	0	Of a thickness exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10	Heat treated	KGM		
		Other:			
		Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
		Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM KGM		
		Of a width exceeding 2,450 mm but not exceeding 2,450 mm	KGM		
		Of a width exceeding 3,050 mm	KGM		
7208.52.00	0	Of a thickness of 4.75 mm or more but not exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10	Heat treated	KGM		
		Other:			
		Of a width of 600 mm or more but not exceeding 1,525 mm	KGM		
		Of a width exceeding 1,525 mm but not exceeding 1,830 mm	KGM		
	03	Of a width exceeding 1,830 mm but not exceeding 2,450 mm	KGM		
		Of a width exceeding 2,450 mm	KGM		

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7208.53.00	00Other, of a thickness of 3 mm or more but less than 4.75 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.54.00	00Other, of a thickness of less than 3 mm	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7208.90.00	00 -Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.09	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.			
	-In coils, not further worked than cold-rolled (cold-reduced):			
7209.15.00	00Of a thickness of 3 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.16.00	00Of a thickness exceeding 1 mm but less than 3 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.17.00	00Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.18.00	00Of a thickness of less than 0.5 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Not in coils, not further worked than cold-rolled (cold-reduced):			1
7209.25.00	00 -	Of a thickness of 3 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.26.00	00 -	Of a thickness exceeding 1 mm but less than 3 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.27.00	00 •	Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.28.00	00 -	Of a thickness of less than 0.5 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7209.90.00	00 -	-Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.10		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.			
		Plated or coated with tin:			
7210.11.00	00 0	Of a thickness of 0.5 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.12.00	00 •	Of a thickness of less than 0.5 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7210.20.00	00	-Plated or coated with lead, including terne-plate	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.30.00	00	-Electrolytically plated or coated with zinc	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Otherwise plated or coated with zinc:			
7210.41.00	00	Corrugated	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.49.00		Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Of a thickness not exceeding 0.5 mm Of a thickness exceeding 0.5 mm but not exceeding 1 mm Of a thickness exceeding 1 mm	KGM KGM KGM		3. 11 1, GKI. 1160
7210.50.00	00	-Plated or coated with chromium oxides or with chromium and chromium oxides	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Plated or coated with aluminum:			
7210.61.00		Plated or coated with aluminium-zinc alloys		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of a thickness of less than 1.44 mm Of a thickness of 1.44 mm or more	KGM KGM		
7210.69.00		Other		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Of a thickness of less than 1.44 mm	KGM		
	20	Of a thickness of 1.44 mm or more	KGM		
7210.70.00	00	-Painted, varnished or coated with plastics	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7210.90.00	0 00	-Other	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.11		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.			
		-Not further worked than hot-rolled:			
7211.13.00	00	Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7211.14.00)	Other, of a thickness of 4.75 mm or more		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not in coils	KGM KGM		
7211.19.00)	Other		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not in coils	KGM KGM		
		-Not further worked than cold-rolled (cold-reduced):			
7211.23.00	0 00	Containing by weight less than 0.25% of carbon	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item S	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7211.29.00 0	0Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7211.90.00 0	0 -Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.12	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.			
7212.10.00 0	0 -Plated or coated with tin	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7212.20.00	-Electrolytically plated or coated with zinc		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
2	0 Of a thickness less than 0.25 mm	KGM KGM KGM KGM		
7212.30.00	-Otherwise plated or coated with zinc		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
2	0 Of a thickness less than 0.25 mm	KGM KGM KGM KGM		
7212.40.00	-Painted, varnished or coated with plastics		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	0Not plated or coated with metal and not clad	KGM		,
	1 Electrolytically	KGM KGM		
9	0 Other	KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7212.50.00		-Otherwise plated or coated	KOM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	40 50	Of a thickness less than 0.25 mm	KGM KGM KGM KGM		
7212.60.00	00	-Clad	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.13		Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.			
7213.10.00		-Containing indentations, ribs, grooves or other deformations produced during the rolling process		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	11	Concrete reinforcing bars, of specification CSA G30.18:Of a diameter of 12 mm or less	KGM		
	13	Of a diameter of more than 12 mm but not exceeding 17 mm	KGM KGM KGM		
7213.20.00		-Other, of free-cutting steel		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Containing by weight 0.1% or more of lead			5
		-Other:			
7213.91.00		Of circular cross-section measuring less than 14 mm in diameter		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not tempered or treated and not partly manufactured:			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	41	Tire cord-quality steel wire rod, as defined in Statistical Note 2 to this	KGM		
	42	Chapter	KGM		
	43	Of welding quality wire rods, as defined in Statistical Note 4 to this Chapter	KGM		
	49	Other	KGM		
		Other, containing by weight less than 0.25% of carbon	KGM		
		Other, containing by weight 0.25% or more but less than 0.6% of carbon	KGM		
	70	Other, containing by weight 0.6% or more of carbon	KGM		
7213.99.00)	Other		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of circular cross section, containing by weight less than 0.25% of carbon:			
	11	Of a diameter of 14 mm or more but less than 19 mm	KGM		
	12	Of a diameter of 19 mm or more but not exceeding 25.5 mm	KGM		
	13	Of a diameter exceeding 25.5 mm	KGM		
		Of circular cross section, containing by weight 0.25% or more but less than 0.6% of carbon:			
		Of a diameter of 14 mm or more but less than 19 mm	KGM		
		Of a diameter of 19 mm or more but not exceeding 25.5 mm	KGM		
		Of a diameter exceeding 25.5 mm	KGM		
		Of circular cross section, containing by weight 0.6% or more of carbon:	KCM		
		Of a diameter of 14 mm or more but less than 19 mm	KGM KGM		
		Of a diameter exceeding 25.5 mm	KGM		
		Other	KGM		
			I COIVI		
72.14	1	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.			
7214.10.00	00	Forged	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7214.20.00	00 00	Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7214.30.00			Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Containing by weight 0.15% or more but not exceeding 0.35% of lead or 0.05% or more but not exceeding 0.4% of bismuth, for use in Canadian manufactures	KGM		
	Flat bars, including flat grader blade sections:	T COM		
	21 Of a width not exceeding 75 mm	KGM		
	22Of a width exceeding 75 mm but less than 150 mm			
	23 Of a width of 150 mm or more			
	31 Of a diameter not exceeding 75 mm	KGM		
	32 Of a diameter exceeding 75 mm	KGM		
	40 Hexagons			
	50 Squares	KGM		
	90 Other			
	-Other:			
7214.91.00	Of rectangular (other than square) cross-section		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	Containing by weight less than 0.25% of carbon:			
	11 Of a width not exceeding 76 mm	KGM		
	12Of a width exceeding 76 mm but less than 152 mm	KGM		
	13Of a width of 152 mm or more	KGM		
	Containing by weight 0.25% or more but less than 0.6% of carbon:			
	21 Of a width not exceeding 76 mm	KGM		
	22 Of a width exceeding 76 mm but less than 152 mm			
	23 Of a width of 152 mm or more			
	Containing by weight 0.6% or more of carbon:			
	31 Of a width not exceeding 76 mm			
	32Of a width exceeding 76 mm but less than 152 mm	KGM		
	33 Of a width of 152 mm or more	KGM		
7214.99.00	Other		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20Hexagons	KGM		
	30 Squares			
	Other, containing by weight less than 0.25% of carbon			
		1/01/		
	41Rounds, of a diameter of less than 76 mm	KGM		
	41Rounds, of a diameter of less than 76 mm			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Other	KGM		
	51	Rounds, of a diameter of less than 76 mm	KGM		
		Rounds, of a diameter of 76 mm or more but not exceeding 152 mm.	KGM		
	53	Rounds, of a diameter exceeding 152 mm	KGM		
		Other	KGM		
	60	Other, containing by weight 0.6% or more of carbon	KGM		
72.15		Other bars and rods of iron or non-alloy steel.			
7215.10.00		-Of free-cutting steel, not further worked than cold-formed or cold-finished		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Rounds Other	KGM KGM		G. 11 1, G. 11 11 10 10 10 10 10 10 10 10 10 10 10
7215.50.00		-Other, not further worked than cold-formed or cold-finished		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10	Flat bars	KGM		CFIFI, UKI. FIEE
		Rounds:			
	21	Ground, turned or polished	KGM		
	29	Other	KGM		
	90	Other	KGM		
7215.90.00		-Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Chrome plated	KGM		
		Corrosion resistant concrete reinforcing bars	KGM		
		Other concrete reinforcing bars Other	KGM KGM		
72.16		Angles, shapes and sections of iron or non-alloy steel.			
7216.10.00		-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		U sections:			
		American standard	KGM		
		Other	KGM		
		I sections:	L/Ch#		
	∠1	American standard	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Other			
	30	Sections	KGIVI		
		-L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:			
7216.21.00	1	L sections		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Equal legs			
7216.22.00	00	T sections	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:			
7216.31.00	1	U sections		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of a height of 80 mm or more but not exceeding 152.4 mm:			•
		American standard			
		For motor vehicles			
		Other	KGM		
		Of a height exceeding 152.4 mm:			
		American standard	KGM		
		For motor vehicles			
	29	Other	KGM		
7216.32.00	1	I sections		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of a height of 80 mm or more but not exceeding 152.4 mm	KGM KGM		,
7216.33.00		H sections		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Wide flange:			

Tariff Item S	S Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
1 1 1 2	1 Of a height not exceeding 150 mm	KGM KGM KGM KGM KGM		
	1 Of a height of 80 mm or more but not exceeding 152.4 mm 2 Of a height exceeding 152.4 mm	KGM KGM		
7216.40.00	-L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	L sections, equal legs: 1Of a height of 80 mm or more but not exceeding 152.4 mm	KGM KGM		
2	1Large leg, of a height of 80 mm or more but not exceeding 152.4 mm 2Large leg, of a height exceeding 152.4 mm 0T sections	KGM KGM KGM		
7216.50.00	-Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	 0 For use in ships, boats or floating structures	KGM		
3	road scrapers	KGM KGM		
9	-Angles, shapes and sections, not further worked than cold-formed or	KGM		
7216 61 00 0	cold-finished: 0Obtained from flat-rolled products	KGM	Free	CCCT, LDCT, UST,
		ive	7100	MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7216.69.00 0	0Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		-Other:			
7216.91.00		Cold-formed or cold-finished from flat-rolled products		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		L sections	KGM		
		I or H sections	KGM		
		U sections	KGM		
		Other:	KCM		
			KGM KGM		
	55		ICOM		
7216.99.00		Other		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		L sections	KGM		
	20	I or H sections	KGM		
		U sections	KGM		
		Other:			
		Ribbed shapes	KGM		
		Other	KGM		
72.17	,	Wire of iron or non-alloy steel.			
7217.10.00		-Not plated or coated, whether or not polished		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Round, heat treated, containing by weight less than 0.25% of carbon:Of a diameter of less than 1.5 mm, in coils weighing not more than 2 kg	KGM		
	42	Other, of a diameter of less than 1 mm	KGM		
		Other, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	44	Other, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	45	Other, of a diameter of 3 mm or more	KGM		
		Other, containing by weight less than 0.25% of carbon:			
		Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 3 mm or more	KGM		
		Flat	KGM		
		Other	KGM		
		Heat treated of a dispersion of least their dispersion	L/CN4		
	61	Heat treated, of a diameter of less than 1 mm	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	63	Heat treated, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	64	Heat treated, of a diameter of 3 mm or more	KGM		
	65	Other, of a diameter of less than 1 mm	KGM		
	66	Other, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	67	Other, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Other, of a diameter of 3 mm or more	KGM		
		Other, containing by weight 0.25% or more but less than 0.6% of carbon:			
	71	Flat	KGM		
	79	Other	KGM		
		Other round, containing by weight 0.6% or more of carbon:			
	81	Heat treated, of a diameter of less than 1 mm	KGM		
	82	Heat treated, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Heat treated, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Heat treated, of a diameter of 3 mm or more	KGM		
		Other, of a diameter of less than 1 mm	KGM		
		Other, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		•			
		Other, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Other, of a diameter of 3 mm or more	KGM		
		Other, containing by weight 0.6% or more of carbon:			
	91	Flat	KGM		
	99	Other	KGM		
					LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10	Flat	KGM		
		-Plated or coated with zinc-aluminum, containing by weight less than 0.25% of carbon:			
	41	Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 1.5 min or more but less than 3 min	KGM		
		•			
		Other Plated or coated with zinc-aluminum, containing by weight 0.25% or more but less than 0.6% of carbon:	KGM		
	51	Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 1.5 mm or more	KGM		
		•			
		Other	KGM		
	61	Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		·			
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 3 mm or more	KGM		
		Other	KGM		
		Other, containing by weight less than 0.25% of carbon:			
	/1	Round, of a diameter of less than 1 mm	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	72 -	Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		•
	73 -	Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	74 -	Round, of a diameter of 3 mm or more	KGM		
	79 -	Other	KGM		
		Other, containing by weight 0.25% or more but less than 0.6% of carbon:			
	81 -	Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
			KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm			
		Round, of a diameter of 3 mm or more	KGM KGM		
		Other, containing by weight 0.6% or more of carbon:			
	91 -	Round, of a diameter of less than 1 mm	KGM		
	92 -	Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	93 -	Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	94 -	Round, of a diameter of 3 mm or more	KGM		
	99 -	Other	KGM		
7217.30.00	_	Plated or coated with other base metals		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 -	Flat	KGM		OF IT I, OILT. FICE
		Other, containing by weight less than 0.25% of carbon:			
		Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Round, of a diameter of 3 mm or more	KGM		
		Other	KGM		
	-	Other, containing by weight 0.25% or more but less than 0.6% of carbon:			
	31 -	Round, of a diameter of less than 1 mm	KGM		
	32 -	Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	34 -	Round, of a diameter of 3 mm or more	KGM		
		Other			
		Other, containing by weight 0.6% or more of carbon:			
		Round, of a diameter of less than 1 mm	KGM		
		Round, of a diameter of 1 mm or more but less than 1.5 mm	KGM		
		Round, of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		·			
		Round, of a diameter of 3 mm or more	KGM KGM		
7217.90.00	-	Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT CPTPT, UKT: Free
					Ji 11 1, UK1.1166
		Coated with plastics	KGM		
		Other:			
		Containing by weight less than 0.25% of carbon	KGM		
	92 -	Containing by weight 0.25% or more but less than 0.6% of carbon	KGM		

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	93	Containing by weight 0.6% or more of carbon	KGM		
		IIISTAINLESS STEEL			
72.18		Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.			
7218.10.00	00	-Ingots and other primary forms	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		-Other:			
7218.91.00	00	Of rectangular (other than square) cross-section	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7218.99.00)	Other		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Blooms, billets, rounds, slabs and sheet bars	KGM KGM		,
72.19		Flat-rolled products of stainless steel, of a width of 600 mm or more.			
		-Not further worked than hot-rolled, in coils:			
7219.11.00	00	Of a thickness exceeding 10 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7219.12.00	00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7219.13.00	00	Of a thickness of 3 mm or more but less than 4.75 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.14.00	00Of a thi	ckness of less than 3 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Not furth	er worked than hot-rolled, not in coils:			
7219.21.00	Of a thi	ckness exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		a width of 600 mm or more but not exceeding 1,830 mma width exceeding 1,830 mm			
7219.22.00	Of a thic	ckness of 4.75 mm or more but not exceeding 10 mm		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		a width of 600 mm or more but not exceeding 1,830 mma width exceeding 1,830 mm			
7219.23.00	00 Of a thi	ckness of 3 mm or more but less than 4.75 mm	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7219.24.00	00 Of a thi o	ckness of less than 3 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Not furth	er worked than cold-rolled (cold-reduced):			
7219.31.00	00 Of a thi ɗ	ckness of 4.75 mm or more	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7219.32.00		Of a thickness of 3 mm or more but less than 4.75 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Other	KGM KGM		
7219.33.00		Of a thickness exceeding 1 mm but less than 3 mm		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		300 Series Other	KGM KGM		
7219.34.00		Of a thickness of 0.5 mm or more but not exceeding 1 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		300 Series	KGM KGM		
7219.35.00	,	Of a thickness of less than 0.5 mm		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		300 Series Other	KGM KGM		o.v
7219.90.00	00	-Other	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.20		Flat-rolled products of stainless steel, of a width of less than 600 mm.			
		Not further worked than hot-rolled:			
7220.11.00	00	Of a thickness of 4.75 mm or more	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7220.12.00	000Of a thickness of less than 4.75 mm	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7220.20.00	, ,		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10 300 Series	KGM KGM		
7220.90.00	0 00 -Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7221.00.00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	30 Containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM		
	40 Rounds, 300 series			
	50Other rounds	KGM		
	60 Other wire rods			
	90Other	KGM		
72.22	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.			
	-Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:			
7222.11.00	Of circular cross-section		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
		Other, of high nickel alloy steel:			
		Of a diameter of 25 mm or more	KGM		
		Of a diameter of less than 25 mm	KGM		
		Of a diameter of 25 mm or more	KGM		
	92	Of a diameter of less than 25 mm	KGM		
7222.19.00	0	Other		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		High nickel alloy steel:	14014		
		Flat bars Other	KGM KGM		
		Other:	ROW		
		Flat bars	KGM		
	29	Other	KGM		
7222.20.00	0	-Bars and rods, not further worked than cold-formed or cold-finished		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM		
		Other, of high nickel alloy steel:	KOM		
		Rounds, of a diameter of 25 mm or more Rounds, of a diameter of less than 25 mm	KGM KGM		
		Other	KGM		
		Other:	14014		
		Rounds, of a diameter of 25 mm or more	KGM KGM		
		Flat bars	KGM		
		Other	KGM		
7222.30.00	O	-Other bars and rods		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM		

Tariff Item	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	30Other, of high nickel alloy steel			
7222.40.00	00 -Angles, shapes and sections	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7223.00.00	Wire of stainless steel.		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	10Not coated or covered			
	IVOTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL			
72.24	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.			
7224.10.00	00 -Ingots and other primary forms	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7224.90.00	00 -Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
72.25	Flat-rolled products of other alloy steel, of a width of 600 mm or more.			
	-Of silicon-electrical steel:			
7225.11.00	00Grain-oriented	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7225.19.00	00Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7225.30.00	00	-Other, not further worked than hot-rolled, in coils	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7225.40.00)	-Other, not further worked than hot-rolled, not in coils		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 30 40		KGM KGM KGM KGM KGM		
7225.50.00)	-Other, not further worked than cold-rolled (cold-reduced)		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 30 40	Of a thickness of less than 0.5 mm	KGM KGM KGM KGM		
		-Other:			
7225.91.00		Electrolytically plated or coated with zinc		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20 30	Of a thickness of less than 0.25 mm	KGM KGM KGM KGM		
7225.92.00	00	Otherwise plated or coated with zinc	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free

Tariff Item	SS Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7225.99.00	Other 20Plated or coated with aluminum or aluminum alloys	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	90 Other	KGM		
72.26	Flat-rolled products of other alloy steel, of a width of less than 600 mm.			
	-Of silicon-electrical steel:			
7226.11.00	00Grain-oriented	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.19.00	00Other	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.20.00	00 -Of high speed steel	KGM	Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	-Other:			
7226.91.00	00Not further worked than hot-rolled	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.92.00	00Not further worked than cold-rolled (cold-reduced)	KGM	Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7226.99.00	Other		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	Plated or coated with zinc:			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	11	Of a thickness of less than 0.25 mm	KGM		
		Of a thickness of 0.25 mm or more but less than 0.5 mm	KGM		
		Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM		
		Of a thickness exceeding 1 mm	KGM		
		Other:			
	91	Of a thickness of less than 0.25 mm	KGM		
	92	Of a thickness of 0.25 mm or more but less than 0.5 mm	KGM		
	93	Of a thickness of 0.5 mm or more but not exceeding 1 mm	KGM		
	99	Of a thickness exceeding 1 mm	KGM		
72.27		Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.			
7227.10.00	00	-Of high speed steel	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7227.20.00	00	-Of silico-manganese steel	KGM	Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
7227.90.00)	-Other		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Of tool steel (other than high speed steel), not tempered or treated and			01 11 1, 01(1.1100
		not partly manufactured:			
	11	Of ball-bearing steel	KGM		
	19	Other	KGM		
		Of other tool steel (other than high-speed steel):	L/CN4		
		Of ball-bearing steel	KGM		
		Other	KGM		
	50	Other, containing indentations, ribs, grooves or other deformations produced during the rolling process	KGM		
	60	Other, of cold heading quality (CHQ) steel, as defined in Statistical Note 3 to this Chapter	KGM		
		Other, of welding quality wire rods, as defined in Statistical Note 4 to this Chapter	KGM		
		Other, of a circular cross-section:			
		Of a diameter of less than 14 mm	KGM		
		Of a diameter of 14 mm or more but not exceeding 19 mm	KGM		
		Of a diameter of 19 mm or more	KGM		
	90	Other	KGM		
72.28		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.			

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7228.10.00		-Bars and rods, of high speed steel	KGM	Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Not cold-formed			
7228.20.00		-Bars and rods, of silico-manganese steel		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Cold-formed			
7228.30.00		-Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Flat bars	KGM		
	21 22 29	Rounds:Mold steel	KGM		
7228.40.00		-Other bars and rods, not further worked than forged		Free	CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Mold steel Tool steel Other	KGM		
7228.50.00		-Other bars and rods, not further worked than cold-formed or cold-finished		Free	CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	20	Mold steel Tool steel Other			,

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
7228.60.00	00	-Other bars and rods	KGM	Free	CCCT, LDCT, UST,
					MXT, CIAT, CT, CRT,
					IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT,
					CEUT, UAT, CPTPT,
					UKT: Free
7228.70.00)	-Angles, shapes and sections		Free	CCCT, LDCT, GPT,
					UST, MXT, CIAT, CT,
					CRT, IT, NT, SLT, PT,
					COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		L sections, not further worked than hot-rolled, cold-rolled, drawn or			01 11 1, 01(1.1100
		extruded:			
	11	Equal legs	KGM		
		Unequal legs	KGM		
		Wide flange H sections, not further worked than hot-rolled, cold-rolled,			
	~ 4	drawn or extruded:	14014		
		Of a height not exceeding 150 mm	KGM		
		Of a height exceeding 150 mm	KGM		
	30	or extruded	KGM		
		I sections, not further worked than hot-rolled, cold-rolled, drawn or	IXOIVI		
		extruded:			
	41	American standard, of a height not exceeding 150 mm	KGM		
		American standard, of a height exceeding 150 mm	KGM		
	49	Other	KGM		
	50	U sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	60	T sections, not further worked than hot-rolled, cold-rolled, drawn or extruded	KGM		
	70	Z sections, not further worked than hot-rolled, cold-rolled, drawn or			
		extruded	KGM		
		Other shapes or sections, not further worked than hot-rolled, cold-			
	0.4	rolled, drawn or extruded:	1/01/		
		Bearing pile	KGM		
		Curved grader blade sections Track shoe profile bars of steel, of a width of 190 mm or more but not	KGM		
	03	exceeding 350 mm and of a height not exceeding 150 mm, for use in			
		the manufacture of track shoes for track-laying machinery or vehicles	KGM		
	89	Other	KGM		
		Other:			
	91	L sections	KGM		
	92	H or I sections	KGM		
	93	U sections	KGM		
	99	Other	KGM		
7228.80.00)	-Hollow drill bars and rods		Free	CCCT, LDCT, UST,
					MXT, CIAT, CT, CRT,
					IT, NT, SLT, PT, COLT,
					JT, PAT, HNT, KRT,
					CEUT, UAT, CPTPT, UKT: Free
		Not further worked than hot-rolled:			UNI. I IGG
		Round, alloy steel	KGM		

Tariff Item	ss	Description of Goods	Unit of Meas.	MFN Tariff	Applicable Preferential Tariffs
	12	Round, non-alloy steel	KGM		-
	18	Other, alloy steel	KGM		
	19	Other	KGM		
		Other:			
		Round, alloy steel	KGM		
		Round, non-alloy steel	KGM		
		Other, alloy steel	KGM		
	99	Other	KGM		
72.29		Wire of other alloy steel.			
7229.20.00	0	-Of silico-manganese steel		Free	AUT, NZT, CCCT, LDCT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
		Round, of a diameter not exceeding 1.6 mm, containing by weight less than 0.2% of carbon, more than 0.9% of manganese, and more than 0.6% of silicon, suitable for electric arc-welding:			
	11	Plated or coated with copper	KGM		
		Other	KGM		
		Other	KGM		
	00	Outor	I COM		
7229.90.00	0	-Other		Free	AUT, NZT, CCCT, LDCT, GPT, UST, MXT, CIAT, CT, CRT, IT, NT, SLT, PT, COLT, JT, PAT, HNT, KRT, CEUT, UAT, CPTPT, UKT: Free
	30	Of high-speed steel	KGM		
		Other flat	KGM		
		Other round, of a diameter not exceeding 1.6 mm, containing by weight less than 0.2% of carbon and more than 0.3% of nickel or more than 0.08% of molybdenum, suitable for electric arc-welding:			
	51	Plated or coated with copper	KGM		
	59	Other	KGM		
		Other round, containing by weight 1.2% or more of silicon and 0.6% or more of chromium:			
	61	Of a diameter of less than 1 mm	KGM		
	62	Of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	63	Of a diameter of 1.5 mm or more but less than 3 mm	KGM		
		Of a diameter of 3 mm or more	KGM		
	71	Of a diameter of less than 1 mm	KGM		
	72	Of a diameter of 1 mm or more but less than 1.5 mm	KGM		
	73	Of a diameter of 1.5 mm or more but less than 3 mm	KGM		
	74	Of a diameter of 3 mm or more	KGM		